

Ausable Bayfield Watershed Report Card 2013



Cite as: Brock, H., and M. Veliz. 2013. Ausable Bayfield Conservation Authority Watershed Report Card 2013. Ausable Bayfield Conservation Authority. Exeter, Ontario. 102 pp.

ISBN number: 0-9781887-1-9

Copies of this publication are available online: abca.on.ca

Ausable Bayfield Conservation Authority (ABCA) 71108 Morrison Line, RR 3 Exeter, ON NOM 1S5 519-235-2610 or 1-888-286-2610

Every effort has been made to credit photos and images. If any image has not received appropriate attribution, please let us know and the change will be made to electronic and subsequent versions. Cover photo by Abigail Gutteridge, Ausable Bayfield Conservation Authority. Back photo by Daniel Holm Photography, courtesy Rural Stormwater Management Model Project of the Healthy Lake Huron: Clean Water, Clean Beaches/Lake Huron Southeast Shores Initiative/healthylakehuron.ca. Several inside photos by Daniel Holm Photography; courtesy of Healthy Lake Huron's Rural Stormwater Management Model Project/ruralstormwater.com; and Ausable Bayfield Maitland Valley Drinking Water Source Protection Region/sourcewaterinfo.on.ca.



Executive Summary

Welcome to the Watershed Report Card 2013 for watersheds of the Ausable Bayfield Conservation Authority (ABCA) area. We hope this report, a follow-up to our first watershed report card in 2007, provides meaningful information for landowners and community groups interested in taking action to protect our local environment.

Report cards based on forest conditions, wetland cover, surface water quality, and groundwater quality were completed for 16 watersheds in the ABCA area. These include the Bayfield River (three watersheds), Ausable River (eight watersheds), Parkhill Creek (two watersheds), Mud Creek, and smaller Lake Huron watersheds (two areas). Grades from 2013 were compared between watersheds of the ABCA area and with the Watershed Report Card 2007.

Provincial indicators of forest health and surface water quality were recommended by Conservation Ontario to standardize the reporting process across the province. Forest condition indicators include percentages of forest cover, forest interior, and streamside cover. The percentage of wetland cover, which is separate from the forest conditions category, is a new indicator for this edition of the watershed report card. Surface water quality indicators include total phosphorus, *Escherichia coli* (E. coli), and benthic invertebrates. Groundwater quality was also added as a new category, for which nitrate and chloride were recommended as indicators.

Forest conditions remain limited in the Ausable Bayfield watersheds. Grades ranged from A to D, with most watersheds receiving a D grade. Slight reported increases in forest cover and forest

interior are likely the result of using more detailed mapping for this watershed report card.

Wetland cover in the Ausable Bayfield watersheds is also limited. Grades ranged from B to F, with most watersheds receiving F grades. More wetlands are needed in strategic locations across the watersheds.

Water quality has remained steady for most watersheds. Grades ranged from A to D, with the majority of watersheds receiving C grades. Compared with the Watershed Report Card 2007, in which only one watershed met the recreational guideline for E. coli, eight watersheds now meet this guideline. Furthermore, two watersheds (Bannockburn and Main Bayfield) have had measurable improvement in the concentrations of total phosphorus and E. coli.

Groundwater quality, throughout the Ausable Bayfield watersheds, is generally good. Several wells, however, tend to approach the drinking water standard for nitrate and the guideline for chloride, and therefore received less than an A grade.

Protecting and improving watershed health will require different approaches. These include actions individuals can take on their properties, community actions, and actions by agencies. Each local watershed report card suggests appropriate actions for each of these groups. When these actions are implemented together, they will have positive cumulative effects. We can measure our collective efforts with every new report card and determine the best ways to continue to protect, improve, conserve, and restore the watersheds in partnership with the community.







Acknowledgements

Principal Contributors:

Brynn Upsdell, Rob Carnegie, Tim Cumming, and Christina Baranik

The Ausable Bayfield Conservation Authority (ABCA) would like to acknowledge the support of our partners in the provision of data used in grading the indicators presented in this watershed report card:

Ausable Bayfield Maitland Valley Source Protection Region – GIS mapping data Environmental Systems Research Institute (ESRI) – GIS mapping data Land Information Ontario (LIO) – GIS mapping data Ontario Ministry of Agriculture and Food – Land use and soil information Ontario Ministry of the Environment – GIS mapping data Ontario Ministry of Natural Resources – Species at risk information Water Resources Information Program (WRIP) – GIS mapping data

The authors are grateful for the support and advice of the following reviewers:

Tom Prout, Alec Scott, Kate Monk, Judith Parker, Davin Heinbuck, and Ausable Bayfield Conservation Authority Board of Directors, on behalf of member municipalities.




Table of Contents

| Acknowledge Table of Cont List of Figure List of Maps | ementsents | Page ii Page iii Page iv Page iv |
|--|---|--|
| List of Tables | ••••••••••• | Page v |
| Chapter 1: | Introduction | |
| 1.0 | The Report Card | Page 1 Page 1 Page 1 Page 1 Page 2 |
| | 1.1.1 Ausable Bayfield Conservation Authority1.1.2 Watershed Features | Page 2 Page 4 Page 7 |
| Chapter 2: | Methods and Results | |
| 2.0 2.1 | The Process Measures of Ecosystem Quality 2.1.1 Forest Conditions 2.1.2 Wetland Cover 2.1.3 Surface Water Quality 2.1.4 Groundwater Quality Summary | Page 10 Page 11 Page 15 Page 17 Page 27 Page 30 |
| 2.3 | Next Steps · · · · · · · · · · · · · · · · · · · | Page 31 |
| Chapter 3: | Watershed Report Cards | Page 33 |
| | Species at risk throughout the Ausable Bayfield watersheds | Page 98 Page 99 |







List of Figures

| Figure 1: | Distribution of grades for forest cover, forest interior, streamside cover and wetland cover for the Ausable Bayfield watersheds | Page 14 |
|-----------|---|---------|
| Figure 2: | Concentrations of total phosphorus across all Ausable Bayfield watersheds. Black line represents the Provincial Water Quality Objective (0.03 mg/L) | Page 21 |
| Figure 3: | Distribution of grades for total phosphorus, <i>Escherichia coli</i> (E. coli), and benthic invertebrates for the Ausable Bayfield watersheds | Page 22 |
| Figure 4: | Concentrations of <i>Escherichia coli</i> (E. coli) across all Ausable Bayfield watersheds. Black line represents the Recreational Water Quality Guideline (100 cfu/100 mL). | Page 23 |
| Figure 5: | Benthic invertebrate Family Biotic Index (FBI) scores across all Ausable Bayfield watersheds. A score of 1 represents a healthy watershed and a score of 10 represents a degraded watershed | Page 25 |
| Figure 6: | Principles of the Lake Huron-Georgian Bay Watershed Framework for Community Action (lakehuroncommunityaction.ca). | Page 32 |
| | List of Maps | |
| Мар 1: | Municipal boundaries across the Ausable Bayfield watershed | Page 2 |
| Map 2: | Watersheds of the Ausable Bayfield area | Page 3 |
| Map 3: | Topography of the Ausable Bayfield watershed | Page 4 |
| Map 4: | Natural heritage features of the Ausable Bayfield watershed | Page 6 |
| Map 5: | Major watersheds of the Ausable Bayfield area | Page 8 |
| Мар 6: | Grade distribution of forest conditions throughout the Ausable Bayfield watersheds | Page 13 |
| Map 7: | Grade distribution of wetland cover throughout the Ausable Bayfield watersheds | Page 16 |
| Map 8: | Surface water quality monitoring stations throughout the Ausable Bayfield watershed | Page 18 |
| Map 9: | Grade distribution of overall surface water quality conditions throughout the Ausable Bayfield watersheds | Page 26 |
| Map 10: | Groundwater quality conditions at the 14 provincial monitoring wells throughout the Ausable Bayfield watershed | Page 28 |





List of Tables

| watersheds (adapted from Conservation Ontario 2011) | Page 11 |
|--|---|
| Percentage of forest cover, forest interior, and streamside cover, their associated grades, and the overall forest conditions grade for each Ausable Bayfield watershed. | Page 12 |
| Grading system for wetland cover for the Ausable Bayfield watersheds (adapted from Conservation Ontario 2011) | Page 15 |
| Percentage of wetland cover and grades throughout the Ausable Bayfield watersheds | Page 15 |
| Data used to determine watershed report card grades for surface water quality conditions throughout the Ausable Bayfield watersheds | Page 19 |
| Surface water quality indicator scoring and grading for the Ausable Bayfield watersheds (adapted from Conservation Ontario 2011) | Page 20 |
| Overall surface water quality scoring and grading for the Ausable Bayfield watersheds (adapted from Conservation Ontario 2011) | Page 25 |
| Groundwater quality indicator scoring and grading for monitoring wells throughout the Ausable Bayfield watersheds (adapted from Conservation Optario 2011) | Page 27 |
| Ausable Bayfield groundwater monitoring wells that received a grade less | Page 29 |
| | watersheds (adapted from Conservation Ontario 2011). Percentage of forest cover, forest interior, and streamside cover, their associated grades, and the overall forest conditions grade for each Ausable Bayfield watershed. Grading system for wetland cover for the Ausable Bayfield watersheds (adapted from Conservation Ontario 2011). Percentage of wetland cover and grades throughout the Ausable Bayfield watersheds. Data used to determine watershed report card grades for surface water quality conditions throughout the Ausable Bayfield watersheds. Surface water quality indicator scoring and grading for the Ausable Bayfield watersheds (adapted from Conservation Ontario 2011). Overall surface water quality scoring and grading for the Ausable Bayfield watersheds (adapted from Conservation Ontario 2011). Groundwater quality indicator scoring and grading for monitoring wells throughout the Ausable Bayfield watersheds (adapted from Conservation Ontario 2011). |